

HUNTLEY COMMUNITY SCHOOL DISTRICT 158
Addendum No.4 to Specifications for Roof Systems Replacement and Repairs BID# 2018-68
11/29/18

To All Bidders:

Following is Addendum No. 4 for Bid Specification for Roof Systems Replacement and Repairs Bid# 2018-68 for Huntley Community School District 158. Please acknowledge the addendum on your bid form. The bids due date and time remain 9:30 am on December 4, 2018 as published in the newspaper and the bid specifications.

We look forward to seeing you at the bid opening.

Sincerely,

Douglas Renkosik
Director of Operations and Maintenance

Addendum No. 4 Items

1. The two underlayment system to be installed on the deck below the shingles as specified in section 07311 shall one layer of 15 lb organic asphalt saturated ply sheet as specified in part A of section 2.2 Underlayment Materials and one layer of a trilaminate reinforced coated ply sheet by Tremco Inc or approved equal as part B of 2.2 Underlayment Materials.
2. An approved equal to the trilaminate reinforced coated ply sheet as called for in part B of 2.2 Underlayment Materials is the Certainteed Diamond Deck synthetic underlayment if, and only if, the contractor provides all of the following as a part of their base bid price along with the Certainteed Diamond Deck synthetic underlayment called for in as part B of 2.2 Underlayment Materials :
 - a. Certainteed Winterguard Granular is provided as the Self-Adhering Sheet underlayment (;i.e. the ice and water shield,) as called for in as part D of 2.2 Underlayment Materials.
 - b. the contractor provides the School District with the Certainteed 5-star extended warranty.